

PATENT
10/042,491

B. AMENDMENTS TO THE CLAIMS

In order to better assist the Examiner with the prosecution of the case, the current pending claims have been included in their entirety for which reconsideration is requested.

1. (Currently Amended) A method for rendering a document on a display utilizing a viewer program running on a computer system, comprising:
 - receiving primary content of the document to be displayed;
 - identifying secondary content to be displayed in conjunction with the primary content;
 - determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content; [[and]]
 - ~~performing at least one of:~~
 - embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
 - responsive to determining the white space is not available, reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed.

AUS920010970US1

3

PATENT
10/042,491

2. (Currently Amended) The method of claim 1 further comprising:
receiving a user action to change a portion display of the primary content
currently displayed in the displayed area; and
determining whether there is available white space within the portion of primary
content currently displayed in the display area to accommodate the secondary content;
and
embedding the secondary content in the available white space if it is determined
that there is available white space to accommodate the secondary content; and
responsive to determining the white space is not available, reflowing the primary
content to form suitable white space in the displayed area and embedding the
secondary content in the suitable white space formed.
~~reiterating determining available white space and performing at least one of~~
~~embedding the secondary content and reflowing the primary content.~~
3. (Original) The method of claim 2 wherein the user action comprises at least one
of a resizing of the display area and a scrolling of the primary content.
4. (Original) The method of claim 1 wherein the white space is a background to the
primary content.
5. (Currently Amended) The method of claim 1 wherein identifying secondary
content comprises receiving a designation associated with receiving secondary content
indicating that the secondary content is to be persistently displayed within white space
within the display area regardless of a user action of at least one of adjusting the portion
of the primary content currently displayed within the display area and adjusting a size of
said display area of the document.
6. (Original) The method of claim 5 wherein receiving a designation further
comprises retrieving the designation from a database accessible to the viewer program.

AUS920010970US1

4

PATENT
10/042,491

7. (Original) The method of claim 1 wherein identifying secondary content comprises generating a viewer object containing the secondary content.
8. (Original) The method of claim 1 further comprising automatically resizing the secondary content to fill the determined white space.
9. (Currently Amended) The method of claim 1 wherein the step of determining whether there is available white space further comprises determining the areas of the data elements in the document used through a Document Object Model Interface.
10. (Original) The method of claim 1 wherein the step of reflowing the primary content further comprises making changes to the Document Object Model tree and reflowing the document according to the changes.
11. (Original) The method of claim 1 wherein identifying secondary content to be displayed in conjunction with the primary content further comprises identifying secondary content having a time based designation for causing at least one of i) an alternating of the display of the secondary content with other designated secondary content in a same white space, and ii) a displaying of the identified secondary content in the white space for only the time period specified.

AUS920010970US1

5

PATENT
10/042,491

12. (Currently Amended) A computer program, on a computer usable medium, having program code means for rendering a document on a display, comprising:
means for receiving primary content of the document to be displayed;
means for identifying secondary content to be displayed in conjunction with the primary content;
means for determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content;
[[and]]
~~means for performing at least one of:~~
means for embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content;
and
means, responsive to determining the white space is not available, for reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed.

13. (Currently Amended) The computer program of claim 12 further comprising:
means for identifying a user action to change a portion display of the primary content currently displayed in the displayed area; and
means for determining whether there is available white space within the portion of primary content currently displayed in the display area to accommodate the secondary content; and
embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
responsive to determining the white space is not available, reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed.
~~re-invoking the means for determining available white space and the means for performing at least one of embedding the secondary content and reflowing the primary content.~~

AUS920010970US1

PATENT
10/042,491

14. (Currently Amended) The computer program of claim 12 wherein the means for identifying secondary content further comprises means for receiving a designation associated with receiving secondary content indicating that the secondary content is to be persistently displayed within white space within the display area regardless of a user action of at least one of adjusting the portion of the primary content currently displayed within the display area and adjusting a size of said display area of the document.
15. (Original) The computer program of claim 12 wherein the means for identifying secondary content comprises means for generating a viewer object containing the secondary content.
16. (Original) The computer program of claim 12 further comprising means for automatically resizing the secondary content to fill the determined white space.
17. (Original) The computer program of claim 12 wherein means for identifying secondary content to be displayed in conjunction with the primary content further comprises means for identifying secondary content having a time based designation for causing at least one of i) an alternating of the display of the secondary content with other designated secondary content in a same white space, and ii) a displaying of the identified secondary content in the white space for only the time period specified.
18. (Currently Amended) The computer program of claim 12 wherein the means for determining whether there is available white space further comprises means for determining the areas of the data elements in the document used through a Document Object Model Interface.

AUS920010970US1

7

PATENT
10/042,491

19. (Currently Amended) A computer system running a viewer program having means for rendering a document on a display, comprising:
- means for receiving primary content of the document to be displayed;
 - means for identifying secondary content to be displayed in conjunction with the primary content;
 - means for determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content; [[and]]
 - ~~means for performing at least one of:~~
 - means for embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
 - means, responsive to determining the white space is not available, for reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed.
20. (Currently Amended) The computer system of claim 19 further comprising:
- means for identifying a user action to change a portion display of the primary content currently displayed in the displayed area; and
 - means for determining whether there is available white space within the portion of primary content currently displayed in the display area to accommodate the secondary content; and
 - embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
 - responsive to determining the white space is not available, reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed.
 - ~~re-invoking the means for determining available white space and the means for performing at least one of embedding the secondary content and reflowing the primary content.~~

AUS920010970US1

8

PATENT
10/042,491

21. (Currently Amended) The computer system of claim 19 wherein the means for identifying secondary content further comprises means for receiving a designation associated with receiving secondary content indicating that the secondary content is to be persistently displayed within white space within the display area regardless of a user action of at least one of adjusting the portion of the primary content currently displayed within the display area and adjusting a size of said display area of the document.

22. (Original) The computer system of claim 19 wherein the means for identifying secondary content comprises means for generating a viewer object containing the secondary content.

23. (Original) The computer system of claim 19 wherein the means for receiving a designation further comprises means for retrieving the designation from a database accessible to the viewer program.

24. (Original) The computer system of claim 19 further comprising means for automatically resizing the secondary content to fill the determined white space.

25. (Currently Amended) The computer system of claim 19 wherein the means for determining whether there is available white space further comprises means for determining the areas of the data elements in the document used through a Document Object Model Interface.

AUS920010970US1

PATENT
10/042,491

26. (Currently Amended) A method for sending a rendered document from a server to a client over a network, comprising:

receiving primary content of the document to be displayed;

identifying secondary content to be displayed in conjunction with the primary content;

determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content;
~~performing at least one of:~~

embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; [[and]]

responsive to determining the white space is not available, reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed; and

sending the document with the embedded secondary content to the client for display.

AUS920010970US1

10

PATENT
10/042,491

27. (Currently Amended) A computer system having means for sending a rendered document to a client over a network, comprising:

means for receiving primary content of the document to be displayed;

means for identifying secondary content to be displayed in conjunction with the primary content;

means for determining whether there is available white space within the primary content, when displayed within a displayable area, to accommodate the secondary content;

~~means for performing at least one of:~~

means for embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and

means, responsive to determining the white space is not available, for reflowing the primary content to form suitable white space in the displayed area and embedding the secondary content in the suitable white space formed.

means for sending the document with the embedded secondary content to the client for display.

PATENT
10/042,491

28. (Currently Amended) A method for rendering a fixed content document on a display utilizing a viewer program running on a computer system, comprising:
- receiving primary content of the document to be displayed;
 - identifying secondary content to be displayed in conjunction with the primary content;
 - determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content; [[and]]
~~———performing at least one of:~~
 - embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
 - overlaying the secondary content over a portion of the primary content for a period of time if it is determined that there is no available white space to accommodate the secondary content.
29. (Currently Amended) A computer program on a computer usable medium having computer readable program code means for rendering a fixed content document on a display, comprising:
- means for receiving primary content of the document to be displayed;
 - means for identifying secondary content to be displayed in conjunction with the primary content;
 - means for determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content; [[and]]
 - ~~means for performing at least one of:~~
 - embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
 - overlaying the secondary content over a portion of the primary content for a period of time if it is determined that there is no available white space to accommodate the secondary content.

PATENT
10/042,491

30. (Currently Amended) A computer system executing a viewer program having means for rendering a fixed content document on a display, comprising:

- means for receiving primary content of the document to be displayed;
- means for identifying secondary content to be displayed in conjunction with the primary content;
- means for determining whether there is available white space within the primary content, when displayed within a display area, to accommodate the secondary content;
- [[and]]
- ~~means for performing at least one of:~~
 - embedding the secondary content in the available white space if it is determined that there is available white space to accommodate the secondary content; and
 - overlaying the secondary content over a portion of the primary content for a period of time if it is determined that there is no available white space to accommodate the secondary content.

AUS920010970US1

13